

AgID	FarmName	SiteAdd	F.KsatScore	F.ShallWell	F.SWproxS	F.SusceptS
2008 8005	Destiny Dairy & T & D	1260 W Puterbaugh Rc	3	0	0	3
2008 8005	Destiny Dairy & T & D	1260 W Puterbaugh Rc	3	0	0	3
10048	JLS Dairy	7190 Sheller Rd Sunny	0	0	0	3
9659 2086	J & K Dairy LLC #1 & #2	7190 E Edison Rd Sunn	1	0	0	0
9659 2086	J & K Dairy LLC #1 & #2	7190 E Edison Rd Sunn	1	0	0	0
9659 2086	J & K Dairy LLC #1 & #2	7190 E Edison Rd Sunn	1	0	0	0
9659 2086	J & K Dairy LLC #1 & #2	7190 E Edison Rd Sunn	1	0	0	0
2094 9518	Skyridge Farm #1 and #4	701 Scoon Rd Sunnys	1	0	0	3
2094 9518	Skyridge Farm #1 and #4	701 Scoon Rd Sunnys	1	0	0	3
2094 9518	Skyridge Farm #1 and #4	701 Scoon Rd Sunnys	0	0	0	3
9908	Maple Grove Dairy	3610 Independence Rc	1	0	0	3
9908	Maple Grove Dairy	3610 Independence Rc	1	0	0	3
9908	Maple Grove Dairy	3610 Independence Rc	1	0	0	3
9908	Maple Grove Dairy	3610 Independence Rc	1	0	0	3
5855	Spring Canyon Ranch L	163 Isaacs Rd Outlook	1	0	1	3
9659 2086	J & K Dairy LLC #1 & #2	7190 E Edison Rd Sunn	1	0	0	0
2225	Veldhuis Dairy	26480 State Route 22	3	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	0
20694	Serenity Acres Dairy	16041 Yakima Valley H	1	0	0	0
3915 3950	Benjert Farms Inc #1 & 300	Braden Rd Sunnys	3	0	0	3
9831	Swager Dairy	2221 Alexander Ext Gr	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
9983	Udder View Dairy LLC	31 Robinson Rd Grand	3	0	0	3
2239	Suncrest Farms	440 Dekker Rd Outlool	1	0	1	3
2199	SmeenK Bros Dairy #2	8220 Emerald Rd Sunn	1	0	0	0
2076	SmeenK Bros Dairy LLC	451 Wendell Phillips R	3	0	0	0
2003 2112	Klompe and Frieslandi	2371 Stover Rd Grandv	1	1	1	0
2056	Mensonides Dairy LLC	305 S Fisher Rd Mabto	1	0	0	3
3090	Majestic Farms	2270 Gurley Rd Outloc	1	0	1	0
2052	John Prins Dairy #2	931 Gap Rd Granger, \	1	0	0	3
9284	John Prins Dairy #1	1690 Hudson Rd Gran	1	0	0	3
20100	J & L Rollinger Farm #2	1310 Tear RD Grandvie	1	0	1	3
20100	J & L Rollinger Farm #2	1310 Tear RD Grandvie	1	0	1	3
2125	J & L Rollinger Farms	840 E Allen Rd Sunnysi	1	0	0	
9665	Hidden Valley Dairy	2253 Boundary Rd Ma	3	0	0	
9665	Hidden Valley Dairy	2253 Boundary Rd Ma	3	0	0	
5706 9852	Deruyter Bros Dairy 1	5111 Van Belle Rd Out	1	0	0	3
5706 9852	Deruyter Bros Dairy 1	5111 Van Belle Rd Out	1	0	0	3
5706 9852	Deruyter Bros Dairy 1	5111 Van Belle Rd Out	1	0	0	3
9831	Swager Dairy	2221 Alexander Ext Gr	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3
10079 100	Sunnyside Dairy #1 and	4581 Maple Grove Rd	1	0	0	3

2239 Suncrest Farms	440 Dekker Rd Outlool	1	0	1	3
50 Riverview Ranch	1220 Vance Rd Mabtoi	1	3	0	3
50 Riverview Ranch	1220 Vance Rd Mabtoi	1	3	0	3
2056 Mensonides Dairy LLC	305 S Fisher Rd Mabto	1	0	0	3
2056 Mensonides Dairy LLC	305 S Fisher Rd Mabto	1	0	0	3
2056 Mensonides Dairy LLC	305 S Fisher Rd Mabto	1	0	0	3
2056 Mensonides Dairy LLC	305 S Fisher Rd Mabto	1	0	0	3
3090 Majestic Farms	2270 Gurley Rd Outlool	1	0	0	3
2003 2112 Klompe and Frieslandi	2371 Stove Yakima	1	3	1	3
2003 2112 Klompe and Frieslandi	2371 Stove Yakima	1	3	0	3
9024 Cherry Hill Dairy Inc	101 Gap Rc Yakima	1	0	0	3
8986 Highview Inc #1	3970 Highl; Yakima	1	0	0	0
2020 DeVries Family Farm LI	15720 Highl Yakima	1	0	0	0
17 Double P Dairy	1741 Holac Yakima	1	0	0	3
5706 9852 Deruyter Bros Dairy 1	15111 Van B Yakima	1	0	0	3
5706 9852 Deruyter Bros Dairy 1	15111 Van B Yakima	1	0	0	3
9024 Cherry Hill Dairy Inc	101 Gap Rc Yakima	1	0	0	3
9882 View Point Dairy	1400 Lewa Yakima	0	0	0	0
9882 View Point Dairy	1400 Lewa Yakima	0	0	0	0

**F.KsatScore** A scoring of saturated hydraulic conductivity: < 2 μ/sec = 0 points, between 2 and

**F.ShallWellProxScore** A scoring of proximity to shallow (< 145 feet deep) groundwater supply wells

**F.SWproxScore** Distance to nearest surface water body

**F.SusceptScore** Location with respect to an EPA Sole Source Aquifer and medium to high Aquifer

**F.SiteTotalScore** Total Site Assessment Score

**F.SiteRiskRating** Low = 2 points or less, Medium = 3 to 5 points, High = 6 or more points

**G.WSPcriteriaScore** Complies with NRCS Pond Storage criteria. Yes = 0 points. No = 6 Points

**G.StrucCondScore** Earthen structure conditions. All questions answered No = 0 points, 1 or more questions

**G.OpsMaintScore** Operation and Maintenance. All questions answered No = 0 points, 1 or more questions

**G.StructModScore** Constructed in accordance with NRCS Practice Standard in place at the time

**G.StructTotalScore** Total Structure Assessment Score

**G.StructRiskRating** Low = 2 points or less, Medium = 3 to 5 points, High = 6 or more points

**Overall Risk Rating** See page 27/42 in Tech Note 23

**F.SiteTotal F.SiteRiskR G.WSPcrit G.StrucCor G.OpsMair G.StructM G.StructTo G.StructRiskRating**

6 High	0	0	0	0	0	0 Low
6 High	0	0	0	0	0	0 Low
3 Medium	0	0	0	0	0	0 Low
1 Low	0	0	2	0	0	2 Low
1 Low	0	0	0	0	0	0 Low
1 Low	0	0	2	0	0	2 Low
1 Low	0	0	2	0	0	2 Low
4 Medium	0	0	0	0	0	0 Low
4 Medium	0	0	0	0	0	0 Low
3 Medium	0	0	0	0	0	0 Low
4 Medium	0	0	0	0	0	0 Low
4 Medium	0	0	0	0	0	0 Low
4 Medium	0	0	0	0	0	0 Low
4 Medium	0	0	0	0	0	0 Low
5 Medium	0	0	0	0	0	0 Low
1 Low		0	0			0 Low
6 High		0	2			2 Low
1 Low		2	2			4 Medium
1 Low		0	0			0 Low
6 High		3	2			5 Medium
4 Medium		0	0			0 Low
4 Medium		0	2			2 Low
4 Medium		0	0			0 Low
4 Medium		0	0			0 Low
4 Medium		3	0			3 Medium
4 Medium		0	0			0 Low
6 High		0	0			0 Low
5 Medium		0	0			0 Low
1 Low		3	6			9 High
3 Medium		0	0			0 Low
3 Medium		0	0			0 Low
4 Medium		0	0			0 Low
2 Low		0	0			0 Low
4 Medium		0	0			0 Low
4 Medium		0	0			0 Low
5 Medium		0	0			0 Low
5 Medium		0	0			0 Low
1 Low		0	0			0 Low
3 Medium		0	0			0 Low
3 Medium		0	3			3 Medium
4 Medium		0	0			0 Low
4 Medium		0	0			0 Low
4 Medium		0	0			0 Low
4 Medium		3	2			5 Medium
4 Medium		3	2			5 Medium
4 Medium		3	2			5 Medium

5 Medium	0	0	0 Low
7 High	3	2	5 Medium
7 High	3	0	3 Medium
4 Medium	0	0	0 Low
4 Medium	0	0	0 Low
4 Medium	0	0	0 Low
4 Medium	0	0	0 Low
4 Medium	0	4	4 Medium
8 High	3	4	7 High
7 High	3	2	5 Medium
4 Medium	0	0	0 Low
1 Low	0	2	2 Low
1 Low	0	0	0 Low
4 Medium	0	2	2 Low
4 Medium	0	0	0 Low
4 Medium	0	0	0 Low
4 Medium	0	2	2 Low
0 Low	0	0	0 Low
0 Low	0	0	0 Low

d 20 μ/sec = 1 point, > 20 μ/sec = 3 points

r Susceptibility according to the WSDA Aquifer Susceptibility Map

uestions answered Yes = 3 points, One or more questions answered Yes and requires major repairs = 6

uestions answered Yes = 2 points, One or more questions answered Yes and requires major restoration =

of construction = 0, Requires minor restoration = 3, Requires major restoration = 6

**Overall Risk Rating**

High/Low	2A
High/Low	2A
Med/Low	1B
Low/Low	1A
Low/Low	1A
Low/Low	1A
Low/Low	1A
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Low/Low	1A
High/Low	2A
Low/Med	2C
Low/Low	1A
High/Med	3C
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Med	2B
Med/Low	1B
High/Low	2A
Med/Low	1B
Low/High	3A
Med/Low	1B
Med/Low	1B
Med/Low	1B
Low/Low	1A
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Low/Low	1A
Med/Low	1B
Med/Med	2B
Med/Low	1B
Med/Low	1B
Med/Low	1B
Med/Med	2B
Med/Med	2B
Med/Med	2B

Discontinue until improvements are made

Discontinue until minor repairs and additional site practices

Discontinue until improvements are made

Discontinue until major repairs or possible replacement

Discontinue until improvements are made

Discontinue until improvements are made

Discontinue until improvements are made

Discontinue until improvements are made

Med/Low	1B	
High/Med	3C	Discontinue until minor repairs and additional site practices
High/Med	3C	Discontinue until minor repairs and additional site practices
Med/Low	1B	
Med/Low	1B	
Med/Low	1B	
Med/Low	1B	
Med/Med	3C	Discontinue until minor repairs and additional site practices
High/High	4	Discontinue until major repairs or replace
High/Med	3C	Discontinue until minor repairs and additional site practices
Med/Low	1B	
Low/Low	1A	
Low/Low	1A	
Med/Low	1B	
Med/Low	1B	
Med/Low	1B	
Med/Low	1B	
Low/Low	1A	
Low/Low	1A	